

## LE CHÊNE DANS TOUS SES ÉTATS

### DECLARATION OF PERFORMANCE

#### Visually strength graded structural timber (D30 timber)

##### Construction Product

Visually strength graded structural timber (according to NF B 52-001-1) which fulfils the requirements of EN 14081-1:2005+A1:2011

##### Intended use of the construction product

For load-bearing purposed in construction works designed according to Eurocode 5 (EN 1995) and for other uses where adequate strength and stiffness of the structure is essential.

##### Producer / Manufacturer

RAISON BOIS ET DEBITS  
14 rue des Andaines  
61700 Perrou  
France

Tel +33 (0)2 33 38 28 88

Fax +33 (0)2 33 38 02 17

Mail [helen@raison-bois.fr](mailto:helen@raison-bois.fr)

[www.raison-bois.fr](http://www.raison-bois.fr)

[www.raisonbois.com](http://www.raisonbois.com)

##### System of assessment and verification of constancy of performance of the construction product

System 2+

##### Certification

The notified body QUALISUD, 15 Ocean Avenue, 40500 SAINT SEVER (identification number 1973) has performed the initial inspection of the manufacturing plant and of the factory production control and continues to perform continuous surveillance, assessment and evaluation of the factory production control. QUALISUD has issued the certificate of conformity of the factory production control N° 1973-CPD-197

61700 Perrou - France

Tél. +33 (0)2 33 38 21 65

Fax +33 (0)2 33 38 02 17

[www.raison-bois.fr](http://www.raison-bois.fr)

## LE CHÊNE DANS TOUS SES ÉTATS

### Declared Performance

The performance of the visually strength graded structural timber (according to NF B 52-001-1) is in conformity with the harmonised European Standard EN 14081-1:2005+A1:2011 Timber Structures – Strength graded structural timber with rectangular cross section – Part 1 : General Requirements

### Essential Characteristics

### Declared Performance

Species/species group	Oak QCXE
Growth area	France
Surface finish	Sawn
Graded	Wet graded
Grade/grading standard	D30 / NF B 52-001-1
Durability (may contain sapwood)	2-3
Reaction to fire	D-s2,d0
Release of dangerous substances	NPD

Fait à Perrou, le 01/09/2013



Jean-Bernard BAHIER  
General Manager

# CERTIFICAT DE CONFORMITE DU CONTRÔLE DE PRODUCTION EN USINE

Version 1 - validation de la dernière mise à jour le 27 juil 2015

En accord avec le Règlement UE n°305/2011 du Parlement Européen et du Conseil du 9 mars 2011 établissant des conditions harmonisées de commercialisation pour les produits de construction et abrogeant la directive 89/106/CEE du Conseil,

L'entreprise :

**RAISON BOIS ET DEBITS**

Adresse du site

**Le Bourg**

de production :

**61700 PERROU**

pour les produits de Bois de Structure à Section Rectangulaire classé pour sa résistance

selon la méthode du  
classement visuel

est conforme aux exigences du système d'évaluation et de vérification de la constance des performances du  
système 2+ et des spécifications de l'annexe ZA de la norme  
**NF EN 14081-1:2005+A1:2011**

Sous le numéro : **1973-CPD-197**

Fait à Saint-Sever le 27 juil 2015

Le président du conseil d'administration de QUALISUD  
Gérard LANNELONGUE



Ce certificat, édité pour la première fois le 30/01/2013, reste valide tant que  
la méthode de classement et les exigences du contrôle de production en usine de la norme harmonisée  
ne sont pas modifiées de manière significative.

**QUALISUD - 15 avenue de l'Océan - 40500 SAINT-SEVER**

N° Siret : 3150029150082 / Code APE : 9412Z / N° TAVA intracommunautaire 31 315 0002 915

**Siège Social : 2 allée BriseBois - 31320 AUZEVILLE-TOLOSAN** - Email : [contact@qualisud.fr](mailto:contact@qualisud.fr) / [www.qualisud.fr](http://www.qualisud.fr)

C2+ BN-06